

Hudson Reed

Euro Cone Adaptors

(for copper pipe)

Installation Guide

Contents

Installation Information **Page - 2**

Installation **Page - 2**

Warranty Information **Page - 3**

Recycling & Disposal **Page - 3**



Installation Information

Please read carefully...

- ✓ Perform a precise and perpendicular cut of the tube, free from burrs, using a special pipe cutter.
- ✓ Check that there are no traces of burr and waste inside the tube.
- ✓ Mount the elements that make up the fitting in the order and shown in the drawing below.
- ✓ Take the nut and screw it by hand until it is possible and then thoroughly with the appropriate key.
- ✓ It is absolutely forbidden to lubricate the rubber parts with mineral oils or greases: the epdm compound is compatible only with silicone based lubricant.

Suitable for use with copper pipe only.
Max working pressure - 10 Bar / 145 PSI.
Max temperatre - 95°C

Installation



Warranty Information

- *This product is covered by a 2 year guarantee.*
- *The guarantee starts from the date of purchase.*
- *The guarantee covers you against issues caused as a result of manufacturing related issues, it does not apply to issues that are found to be a result of poor installation.*
- *Labour costs for installation of the product are not covered under this warranty.*

Aftercare

Clean any marks with a soft dry cloth, for stubborn stains please clean with mild soapy water and buff out with a soft cloth.

DO NOT use abrasive or acidic cleaners, if you are unsure, please contact us first.

Recycling & Disposal

Please recycle / dispose of this product in accordance with your local council / government guidelines.

Contact Us

HUDSON REED

Unit 1&2

Burnley

BB11 5UG

TEL:

(FR) 0044 1282 471591 (DE) 0044 1282 477975

(ES) 0044 1282 477974 (IT) 0044 1282 477973

(NL) 0044 1282 471396 (FR/CA) 00441282 477980

(CA/USA) 0044 1282 477980